





alu lux™ - HORIZONTAL DOOR

The garage door is the largest moving and most prominent part of your home. Quality "Alu-lux™" garage doors are professionally designed to enhance the overall beauty and security of your home.

The "Alu-lux™" garage door is locally manufactured and assembled in South Africa. It was developed specifically for extreme weather conditions often found in coastal regions, giving owners peace of mind and supreme quality.



BRONZE



WHITE



**BUFFALO
BROWN**



CHARCOAL



alu lux™ - RAISED & FIELDDED

Over the years, Super Doors has become a leading manufacturer of garage doors throughout Southern Africa. With our well established distributor network we continuously strive to offer you, our valued customer, with only the best in the latest designs, quality, safety features, variety and choice.

Our patented "Alu-lux™" garage doors are manufactured using the award winning Aluzinc material, ensuring that you receive only the best.



BRONZE



WHITE



**BUFFALO
BROWN**



CHARCOAL



TYPICAL FULLY FUNCTIONAL INSTALLATION

To lift a balanced garage door, all you need are two fingers or a 10-year-old!

A professionally installed quality hardware kit and well-designed sectional garage door should only have a lifting weight of four to five kilograms. That's why you only need two fingers to lift it. An easy rule of thumb is that a 10-year-old child should be able to lift and lower the garage door with little or no effort.



**KIT
FORM**



**RESIDENTIAL
HOMES**



**SINGLE
& DOUBLE**



**TENSION
& TORSION**




**FAST, EASY
INSTALLATION**

HEAD OFFICE: 0861 111 861
Unit 5 Stikland Park, La Belle Rd,
Stikland, Cape Town, South Africa


Tel. +27 (0)21 945 4131
Fax. +27 (0)21 945 4130

info@superdoors.co.za
www.superdoors.co.za

* THE SUPER DOORS HARDWARE MECHANISM



* OPENING SIZES & CLEARANCES FOR SECTIONAL DOOR



A	400mm	
B	140mm	
C	2440mm	SINGLE DOOR
C	4880mm	DOUBLE DOOR
D	2135mm	

We offer help and advice to Architects, Developers and Builders on many of the following issues:

- * Structural dimensions and tolerances.
- * Garage Door installation positions.
- * Headroom requirements for various mechanisms.
- * Drive-through dimensions.
- * Sub-frame sizes and materials.
- * Power supply requirements and position.
- * Lintel/RSJ issues.
- * Delivery periods.
- * Colour and design options.
- * Automation options and technical assistance.

* FINGER SHIELD™ SIDE VIEW

This side view of the pinch prevention patented panels, indicates the design innovation that will protect you and your family from serious finger or hand injuries.

Together with this unique safety feature, it also has a higher than normal overlapping joint which seals each panel into the next. This prevents dust and rain penetration into the building.

* DOUBLE THE STRENGTH INTERMEDIATES

Double lipped intermediate struts allow for double the glued surface.

Larger glue surfaces, which consist of a polyurethane high modulus glue, has proven to be the best in adhering metal to metal, ensuring a 50% stronger bond.

* DOUBLE THE STRENGTH END CAPS

The boxed end caps being fixed on both sides stabilizes the panel, preventing flexing and allows for stronger and more secure fixing of hinges and other hardware.

Properly fixed hinges ensure a smoother and quieter functioning door.



AGENT DETAILS:

HEAD OFFICE:

Unit 5 Stikland Park, La Belle Rd, Stikland, South Africa

0861 111 861

Tel. +27 (0)21 945 4131

Fax. +27 (0)21 945 4130

info@superdoors.co.za

www.superdoors.co.za